



# CERTIFICATE OF REGISTRATION

This is to certify that

**PT. Kutai Timber Indonesia**

Jl. Tanjung Tembaga Baru, Pelabuhan  
Probolinggo 67201  
Jawa Timur  
INDONESIA

UK Registration: Pacific Rim Wood Limited

Meets the requirements of the BM TRADA **Q-Mark Fire Door Manufacture** scheme to **STD006**

**Steve Roberts**  
**Product Certification Operations Manager**  
For and on behalf of BM TRADA

**Certificate Number**

027

**Date of Initial Certification**

04/05/2001

**Date of Last Issue**

17/10/2023

**Date of Expiry**

03/05/2025

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK  
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK  
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at [www.bmtrada.com](http://www.bmtrada.com)

## Registration Schedule

### Head Office Address

Pacific Rim Wood Limited  
Ground Floor Suite, Block B  
Old Kelways,  
Somerton Road,  
Langport, Somerset  
TA10 9SJ

### Factory Address

PT. Kutai Timber Indonesia  
Jl. Tanjung Tembaga  
Baru  
Pelabuhan  
Probolinggo 67201  
Jawa Timur, Indonesia

## Scope

#### Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Certificate Schedule 1						
Type	FoA Report	Rev	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	FEA/F98164	O	Pacific Rim Wood Ltd	Flamebreak Doorsets for 30 minutes Fire Resistance (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			
Fire	FEA/F02141	L	Pacific Rim Wood Ltd	Flamebreak 660 and FF660 Doorsets for 60 minutes Fire Resistance (Glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-			
Fire	WF513956	-	Pacific Rim Wood Ltd	The Flamebreak 430 Range of Doorsets for 30 minutes Fire Resistance (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-			

#### Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	N/A	-	-	-	-
Smoke	N/A	-			

#### Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

**No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.**

Test Report	Owner of Test Report	Doorset Description	Rating	Test Type
N/A	-	-	-	-